



Reducing bush ABS metric

Model:

- With solvent cement spigot and socket metric

	d (mm)	d1 (mm)	PN (bar)	Code	SP	Weight (kg)	z (mm)	L (mm)
*	25	20	16	729 900 337	10	0.005	3	19
*	32	20	10	729 900 342	10	0.011	6	22
*	32	25	10	729 900 341	10	0.008	4	22
	40	20	10	729 900 348	10	0.016	10	26
	40	25	10	729 900 347	10	0.016	7	26
*	40	32	10	729 900 346	10	0.012	4	26
	50	20	10	729 900 355	10	0.026	15	31
	50	25	10	729 900 354	10	0.011	12	31
	50	32	10	729 900 353	10	0.035	9	31
*	50	40	10	729 900 352	10	0.022	5	31
	63	32	10	729 900 360	10	0.060	16	38
	63	40	10	729 900 359	10	0.051	12	38
*	63	50	10	729 900 358	10	0.043	7	36
	75	50	10	729 900 365	10	0.082	13	44
*	75	63	10	729 900 364	10	0.061	7	44
	90	50	10	729 900 372	10	0.143	20	51
	90	63	10	729 900 371	10	0.129	14	51
*	90	75	10	729 900 370	10	0.100	7	51
	110	63	10	729 900 378	5	0.231	24	61
*	110	90	10	729 900 376	5	0.196	10	61
*	125	110	10	700 244 660	10	0.356	8	69
*	140	110	10	729 900 385	5	0.459	15	76
	160	110	10	729 900 390	6	0.662	25	86
*	160	140	10	729 900 388	5	0.410	10	86
	200	160	10	729 900 392	1	0.820	20	106
	225	160	10	729 900 396	2	1.651	33	119
*	225	200	10	729 900 181	0	1.018	13	119
*	250	225	6	729 900 303	4	1.294	12	131
*	280	250	6	729 900 306	1	2.500	15	146
	315	280	6	729 900 312	1	2.852	17	164

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>