



Backing flange steel metric
For butt fusion systems metric

Model:

- Galvanized steel, suitable for underground laying
- Connecting dimensions: ISO 7005, EN 1092, DIN 2501
- **Bolt circle PN 16**

AL: number of holes

d (mm)	DN (mm)	PN (bar)	Code	SP	Weight (kg)	D (mm)	D1 (mm)	D2 (mm)	D3 (mm)	H (mm)	AL	SC
32	25	16	701 474 390	0	0.830	115	85	42	14	12	4	M12
40	32	16	701 474 391	0	1.430	140	100	51	18	14	4	M16
50	40	16	701 474 392	0	1.530	150	110	62	18	14	4	M16
63	50	16	701 474 393	0	1.840	165	125	78	18	16	4	M16
75	65	16	701 474 394	0	2.150	185	145	92	18	16	4	M16
90	80	16	701 474 395	0	2.830	200	160	108	18	18	8	M16
110	100	16	701 474 396	0	3.300	220	180	128	18	18	8	M16
125	100	16	701 474 397	0	3.170	220	180	135	18	18	8	M16
125	125	16	701 474 386	0	3.500	250	210	135	18	25	8	M16
140	125	16	701 474 387	0	4.100	250	210	158	18	18	8	M16
160	150	16	701 474 382	0	5.440	285	240	178	22	20	8	M20
180	150	16	701 474 398	0	5.180	285	240	188	22	20	8	M20
200	200	16	701 480 475	0	7.445	340	295	235	22	24	12	M20
225	200	16	701 480 476	0	7.810	340	295	238	22	24	12	M20
250	250	16	701 480 477	0	8.120	405	355	288	26	30	12	M24
280	250	16	701 480 478	0	8.320	405	355	294	26	30	12	M24
315	300	16	701 480 479	0	9.850	460	410	338	26	34	12	M24
355	350	16	701 480 480	1	25.100	520	470	376	26	35	16	M24
400	400	16	701 480 481	0	24.400	580	525	430	30	38	16	M27
450	500	16	701 480 482	0	37.000	715	650	517	33	46	20	M30
500	500	16	701 480 483	0	32.000	715	650	533	33	46	20	M30

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>