


Reducer PE100 SDR11

- Long spigot version
- 10 bar Gas / 16 bar Water

d (mm)	d1 (mm)	Code	SP	Weight (kg)	z (mm)	L (mm)	L1 (mm)	e (mm)	e1 (mm)
25	20	753 901 038	1	0.022	115	52	52	3.0	3.0
32	20	753 901 042	1	0.027	120	54	52	3.0	3.0
32	25	753 901 041	1	0.033	120	54	52	3.0	3.0
40	20	753 901 048	1	0.043	129	57	52	3.7	3.0
40	25	753 901 047	1	0.045	129	57	52	3.7	3.0
40	32	753 901 046	1	0.047	129	57	53	3.7	3.0
50	20	753 901 055	1	0.064	149	63	52	4.6	3.0
50	25	753 901 054	1	0.069	139	63	52	4.6	3.0
50	32	753 901 053	1	0.067	140	63	53	4.6	3.0
50	40	753 901 052	1	0.079	139	63	57	4.6	3.7
63	32	753 901 060	1	0.113	149	65	53	5.8	3.0
63	40	753 901 059	1	0.122	150	65	57	5.8	3.7
63	50	753 901 058	1	0.128	150	65	63	5.8	4.6
75	40	753 901 063	1	0.185	170	72	57	6.8	3.7
75	50	753 901 064	1	0.188	170	72	63	6.8	4.6
75	63	753 901 065	1	0.209	170	72	65	6.8	5.8
90	50	753 901 072	1	0.289	190	81	63	8.2	4.6
90	63	753 901 071	1	0.316	190	81	65	8.2	5.8
90	75	753 901 070	1	0.351	190	81	70	8.2	6.8
110	63	753 901 078	1	0.471	205	86	65	10.0	5.8
110	75	753 901 077	1	0.501	205	86	70	10.0	6.8
110	90	753 901 076	1	0.549	205	86	81	10.0	8.2
125	63	753 901 083	1	0.607	214	87	63	11.4	5.8
125	75	753 901 082	1	0.667	210	92	72	11.4	6.8
125	90	753 901 081	1	0.683	212	92	81	11.4	8.2
125	110	753 901 080	1	0.775	212	92	86	11.4	10.0
140	75	753 901 086	1	0.910	230	110	70	12.7	6.8
140	90	753 901 087	1	0.954	230	110	79	12.7	8.2
140	110	753 901 084	1	0.977	234	110	88	12.7	10.0
140	125	753 901 085	1	1.078	235	110	90	12.7	11.4
160	90	753 901 088	1	1.164	244	120	79	14.6	8.2
160	110	753 901 090	1	1.239	244	102	86	14.6	10.0
160	125	753 901 089	1	1.333	245	102	92	14.6	11.4
160	140	753 901 032	1	1.522	260	120	110	14.6	12.7
180	90	753 901 073	1	1.507	245	105	79	16.4	8.2
180	110	753 901 074	1	1.833	270	105	82	16.4	10.0
180	125	753 901 091	1	1.723	258	107	92	16.4	11.4
180	140	753 901 075	1	1.976	270	120	110	16.4	12.7
180	160	753 901 033	1	1.968	255	107	102	16.4	14.6
200	140	753 901 066	1	2.326	275	120	110	18.2	12.7
200	160	753 901 092	1	2.391	265	117	102	18.2	14.6
200	180	753 901 034	5	2.724	265	117	107	18.2	16.4
225	140	753 901 067	1	2.900	295	130	110	20.5	12.7
225	160	753 901 096	1	2.891	279	122	102	20.5	14.6
225	180	753 901 095	1	3.244	280	122	107	20.5	16.4
225	200	753 901 094	1	3.538	280	122	117	20.5	18.2
250	160	753 901 000	3	2.385	300	130	100	22.7	14.6
250	180	753 901 068	1	4.299	295	130	105	22.7	16.4
250	200	753 901 001	6	4.766	315	130	112	22.7	18.2
250	225	753 901 002	6	2.385	332	130	120	22.7	20.5
280	200	753 901 098	1	6.850	333	140	112	25.4	18.2
280	225	753 901 099	1	6.112	335	140	120	25.4	20.5
280	250	753 901 003	5	2.385	340	140	130	25.4	22.7
315	200	753 901 004	1	7.522	380	180	134	28.6	18.2



d (mm)	d1 (mm)	Code	SP	Weight (kg)	z (mm)	L (mm)	L1 (mm)	e (mm)	e1 (mm)
315	225	753 901 097	4	7.790	365	150	120	28.6	20,5
315	250	753 901 005	4	8.360	365	150	130	28.6	22,7
315	280	753 901 012	1	8.800	365	150	139	28.6	25,4
355	250	753 901 013	0	9.100	390	165	130	32.3	22,7
355	280	753 901 014	1	9.500	390	165	139	32.3	25,4
355	315	753 901 015	1	9.900	390	165	150	32.3	28,6
400	280	753 901 016	1	10.420	415	180	139	36.4	25,4
400	315	753 901 017	1	11.130	415	180	150	36.4	28,6
400	355	753 901 018	1	11.600	420	180	165	36.4	32,3
450	280	753 901 019	1	16.200	389	195	139	40.9	25,4
450	315	753 901 020	1	16.700	390	195	150	40.9	28,6
450	355	753 901 022	1	17.500	393	195	164	40.9	32,3
450	400	753 901 024	1	18.500	395	195	179	40.9	36,4
500	315	753 901 025	1	21.900	422	212	150	45.5	28,6
500	355	753 901 026	1	22.600	424	212	164	45.5	32,3
500	400	753 901 027	1	23.600	426	212	179	45.5	36,4
500	450	753 901 029	1	25.100	428	212	195	45.5	40,9
560	355	753 901 030	1	30.100	459	230	164	50.9	32,3
560	400	753 901 039	1	31.000	461	230	179	50.9	36,4
560	450	753 901 040	1	32.400	463	230	195	50.9	40,9
560	500	753 901 043	1	34.100	466	230	212	50.9	45,5
630	400	753 901 044	1	41.900	502	250	179	57.3	36,4
630	450	753 901 045	1	43.100	503	250	195	57.3	40,9
630	500	753 901 049	1	44.700	506	250	212	57.3	45,5
630	560	753 901 050	1	46.800	506	250	230	57.3	50,9

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>